

SWVA Mill #2 Rolling Schedule

ALL ROLL DATES ARE SUBJECT TO CHANGE WITHOUT NOTICE

16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
4/14	4/21	4/28	5/5	5/12	5/19	5/26	6/2	6/9	6/16	6/23	6/30	7/7	7/14	7/21	7/28	8/4	8/11	8/18	8/25	9/1	9/8	9/15	9/22	9/29

Junior I-Beam Sections

3" I-Beam				C	C																			
4" I-Beam	C		C	C		C	C	C			C													
5" I-Beam					C																			

Merchant Sections

C4X4.5	O																							
C4X5.4		O																						
C5X6.7																								
C5X9.0																								
C6X6.5																								
C6X8.2																O								
C6X10.5																								
C6X13.0																								
MC6X12																O								
W4X13	O																							
W6X8.5			I			I	I									I	I							
W6X9																								
W6X12			I																					
W6X16																								
W8X10																								
W8X13																								
W8X15																								
S3X5.7	O																							
S3X7.5	O																							
S4X7.7																								
S4X9.5																								
S5X10																								
S6X12.5																								
S8X18.4																								

16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
4/14	4/21	4/28	5/5	5/12	5/19	5/26	6/2	6/9	6/16	6/23	6/30	7/7	7/14	7/21	7/28	8/4	8/11	8/18	8/25	9/1	9/8	9/15	9/22	9/29

Dates as of 4/19/2024 C- Closed CC- Cast CR - Cast/Rolled O - Open I - Inquire P - Proposed PS - Planned Stock STA - Subject to Accumulation

SWVA, Inc. Merchant Products Stock List

4/19/2024

Product Type	Product Size	SWVA Section	Length	Grade	Available Tons
CHANNEL	4X5.4	3037	20'	1045	21
CHANNEL	4X5.4	3037	20'2	1045	26
CHANNEL	4X5.4	3037	40'	1045	S
CHANNEL	4X5.4	3037	20'2	1050	6
CHANNEL	5X6.7	2931	40'	A36-19	46
CHANNEL	5X6.7	2931	50'	A529-19 GR50	28
CHANNEL	5X6.7	2931	24'	A36/A572 GR 50	2
CHANNEL	5X6.7	2931	40'	A36/A572 GR 50	S
CHANNEL	5X6.7	2931	50'	A36/A572 GR 50	S
CHANNEL	5X9.0	2932	20'	A36/A572 GR 50	2
CHANNEL	6X8.2	2922	40'	A36/A572 GR 50	S
CHANNEL	6X8.2	2922	50'	A36/A572 GR 50	74
CHANNEL	6X8.2	2922	20'	A36/A572 GR 50	25
CHANNEL	6X8.2	2922	42'6	No Heat Identity	21
CHANNEL	6X8.2	2922	44'	No Heat Identity	43
CHANNEL	6X8.2	2922	45'	No Heat Identity	92
CHANNEL	6X8.2	2922	50'	No Heat Identity	54
CHANNEL	6X10.5	2923	50'	A36/A572 GR 50	21
CHANNEL	6X13.0	2933	40'	A36/A572 GR 50	18
MISC. CHANNEL	4X13.8	3089	40'	A36/A572 GR 50	39
MISC. CHANNEL	4X13.8	3089	40'	A36/A572 GR 50	4
MISC. CHANNEL	6X12	3090	40'	A572-18 GR 50	1
MISC. CHANNEL	6X12	3090	32'10	1035	3
MISC. CHANNEL	6X12	3090	20'1	1045	2
MISC. CHANNEL	6X12	3090	40'	1045	30
MISC. CHANNEL	6X12	3090	40'6	1045	96
MISC. CHANNEL	6X12	3090	20'	A36/A572 GR 50	5
MISC. CHANNEL	6X12	3090	40'	A36/A572 GR 50	S
MISC. CHANNEL	6X12	3090	45'	A36/A572 GR 50	24
MISC. CHANNEL	6X12	3090	50'	A36/A572 GR 50	S
MISC. CHANNEL	6X16.3	3092	40'	A36/A572 GR 50	S
MISC. CHANNEL	7X19.1	3071	40'	A36/A572 GR 50	23
MISC. CHANNEL	8X20	3094	20'	A572-18 GR 50	2
MISC. CHANNEL	8X21.4	3100	40'	A36/A572 GR 50	S
MISC. CHANNEL	8X22.8	3101	20'	A36/A572 GR 50	1
MISC. CHANNEL	8X22.8	3101	26'	A36/A572 GR 50	3
MISC. CHANNEL	8X22.8	3101	40'	A36/A572 GR 50	S
WIDE FLANGE BEAM	4X13	2921	15'	A992/A572 GR50	23
WIDE FLANGE BEAM	4X13	2921	25'	A992/A572 GR50	13
WIDE FLANGE BEAM	4X13	2921	45'	A992/A572 GR50	S
STANDARD BEAM	3X5.7	2658	42'	A36-19	11
STANDARD BEAM	3X5.7	2658	40'	A572-18 GR 50	8
STANDARD BEAM	3X5.7	2658	40'	1045	3
STANDARD BEAM	3X5.7	2658	40'6	1045	91
STANDARD BEAM	3X5.7	2658	20'	A529-19 GR50	12
STANDARD BEAM	3X5.7	2658	42'	A529-19 GR50	62
STANDARD BEAM	3X5.7	2658	43'	A529-19 GR50	4
STANDARD BEAM	3X5.7	2658	20'	A36/A572 GR 50	2
STANDARD BEAM	3X5.7	2658	30'	A36/A572 GR 50	3
STANDARD BEAM	3X5.7	2658	40'	A36/A572 GR 50	97
STANDARD BEAM	3X5.7	2658	42'8	A36/A572 GR 50	18
STANDARD BEAM	3X5.7	2658	50'	A36/A572 GR 50	9
STANDARD BEAM	3X5.7	2658	40'	A36-19 Restricted Silicon	12

SWVA, Inc. Merchant Products Stock List

4/19/2024

Product Type	Product Size	SWVA Section	Length	Grade	Available Tons
STANDARD BEAM	3X5.7	2658	43'4	A36-19 Restricted Silicon	11
STANDARD BEAM	3X7.5	2663	20'	A36/A572 GR 50	14
STANDARD BEAM	3X7.5	2663	24'6	A36/A572 GR 50	6
STANDARD BEAM	3X7.5	2663	25'	A36/A572 GR 50	2
STANDARD BEAM	3X7.5	2663	26'	A36/A572 GR 50	18
STANDARD BEAM	3X7.5	2663	40'	A36/A572 GR 50	86
STANDARD BEAM	3X7.5	2663	45'	A36/A572 GR 50	52
STANDARD BEAM	4X7.7	2680	40'	A36-19	33
STANDARD BEAM	4X7.7	2680	8'	A572-18 GR 50	2
STANDARD BEAM	4X7.7	2680	9'	A572-18 GR 50	2
STANDARD BEAM	4X7.7	2680	40'	A572-18 GR 50	6
STANDARD BEAM	4X7.7	2680	40'	1035	4
STANDARD BEAM	4X7.7	2680	10'	1045	7
STANDARD BEAM	4X7.7	2680	20'	1045	2
STANDARD BEAM	4X7.7	2680	20'3	1045	7
STANDARD BEAM	4X7.7	2680	40'	1045	4
STANDARD BEAM	4X7.7	2680	40'	A36/A572 GR 50	S
STANDARD BEAM	4X7.7	2680	45'	A36/A572 GR 50	S
STANDARD BEAM	4X7.7	2680	50'	A36/A572 GR 50	S
STANDARD BEAM	4X7.7	2680	40'	No Heat Identity	S
STANDARD BEAM	4X9.5	2934	40'	A572-18 GR 50	2
STANDARD BEAM	4X9.5	2934	20'	A36/A572 GR 50	5
STANDARD BEAM	4X9.5	2934	40'	A36/A572 GR 50	86
STANDARD BEAM	5X10	2935	20'	A36/A572 GR 50	2
STANDARD BEAM	5X10	2935	40'	A36/A572 GR 50	S
STANDARD BEAM	6X12.5	2936	40'	A992/A572 GR50	5
STANDARD BEAM	6X12.5	2936	20'	A36/A572 GR 50	2
STANDARD BEAM	6X12.5	2936	40'	A36/A572 GR 50	S
STANDARD BEAM	6X12.5	2936	40'9	A36/A572 GR 50	14
STANDARD BEAM	6X12.5	2936	50'	A36/A572 GR 50	S